

DRIL-N-SLIDE™

Lubricant

Product Data Sheet

Product Description

DRIL-N-SLIDE™ lubricant adheres to the metal surfaces in contact with water-based drilling fluids, lubricating the bit and drillstring to enhance cutting and rotation rates and improve ROP. DRIL-N-SLIDE lubricant tolerates common fluid contaminants including divalent ions and is suitable for use up to 300°F (149°C). It has excellent environmental properties, is readily bio-degradable and is non-toxic to marine environments. DRIL-N-SLIDE lubricant readily mixes with EP MUD LUBE® or EZ GLIDE™ lubricants for enhanced lubricity properties. DRIL-N-SLIDE lubricant should not be used in high pH environments or lime based fluids.

Applications / Functions

- Helps reduce torque and drag
- Helps improve ROP

Advantages

- Compatible with most water-based drilling fluids
- Unaffected by contaminants
- Environmentally acceptable
- Non-damaging to formations

Typical Properties

- | | |
|--------------------|--------------|
| • Appearance | Clear liquid |
| • Specific gravity | 0.86 |

Recommended Treatment

Add 2-5 percent by volume to the mud system.

Packaging

DRIL-N-SLIDE lubricant is available in 13-bbl tanks or 55-gal (208-l) drums.

www.halliburton.com/baroid

Because the conditions of use of this product are beyond the seller's control, the product is sold without warranty either express or implied and upon condition that purchaser make its own test to determine the suitability for purchaser's application. Purchaser assumes all risk of use and handling of this product. This product will be replaced if defective in manufacture or packaging or if damaged. Except for such replacement, seller is not liable for any damages caused by this product or its use. The statements and recommendations made herein are believed to be accurate. No guarantee of their accuracy is made, however.

DRIL-N-SLIDE and EZ GLIDE are trademarks of Halliburton. EZ MUD LUBE is a registered trademark of Halliburton. © 2010 Halliburton All Rights Reserved

3/26/2010